

Example 4

High scab risk / high liver fluke risk



www.scops.org.uk



MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
1	2	3	4 200 ewe lambs bought from market in Wales where risk of scab and liver fluke is very high.	5 Treated for Roundworms (Group 4-AD drench (bronze) and triclabendazole drenches given.	6	7 Sheep are dipped out of the shed and turned out to Long Field where sheep have grazed until recently but is now isolated from the rest of the flock and not known to have any liver fluke.
<div style="background-color: orange; color: white; padding: 5px; display: inline-block; border-radius: 10px;"> ➔ Housed on arrival for 48 hours </div>						
8	9	10	11	12	13	14
15	16	17	18	19 Take mob FEC sample to test the wormers have worked effectively	20 FEC test shows no worm eggs so treatment was effective.	21
22	23	24	25	26 Post-treatment WEC/CoAg test for fluke to check for first treatment efficacy.	27	28 Ewe lambs are now able to move.
29	30	31	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16 Second dose of closantel for liver fluke given.	17	18

Should be given regardless of Egg count/CoAg result.

Example 4

High scab risk / high liver fluke risk



www.scops.org.uk



MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
1	2	3	4 200 ewe lambs bought from market in Wales where risk of scab and liver fluke is very high.	5 Treated for Roundworms (Group 4-AD drench (bronze) and triclabendazole drenches given.	6	7 Sheep are dipped out of the shed and turned out to Long Field where sheep have grazed until recently but is now isolated from the rest of the Flock and not known to have any liver fluke.
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> 1 </div> <div style="text-align: center;"> 2 </div> <div style="text-align: center;"> 3 </div> </div> <p style="text-align: center; font-weight: bold; color: orange;">Housed on arrival for 48 hours</p>						
8	9	10	11	12	13	14
15	16	17	18	19 Take mob FEC sample to test the wormers have worked effectively.	20 FEC test shows no worm eggs so treatment was effective.	21
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> 4 </div> </div>						
22	23	24	25	26 Post-treatment WEC/CoAg test for fluke to check for first treatment efficacy.	27	28 Ewe lambs are now able to move.
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> 5 </div> </div>						
29	30	31	1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16 Second liver fluke dose - closantel given.	17	18

6
 Should be given regardless of Egg count/CoAg result.